



Blue Book Program

(Effective 12/10/2010)



Phone: 877.657.1888

Fax: 800.861.3026

Reminscent Roller Shades

ROLLER TYPE: SPRING OR CHAIN									
WIDTH ▶									
	37	46	55	73	78	83	91	103	
LENGTH ▼	36	130	156	209	294	325	426	505	576
	48	138	166	223	306	348	460	520	624
	60	150	180	234	323	375	495	560	669
	72	158	190	249	347	401	529	610	726
	84	166	203	262	358	429	565	661	774
	96	180	214	274	370	460	599	718	839
	108	193	226	289	402	492	638	780	907
	120	212	241	311	435	529	679	848	986
WIDTHS > 73 MUST BE ORDERED AS CHAIN MECH ONLY									

FRINGE SURCHARGE:								
WIDTH	37	46	55	73	78	83	91	103
	14	17	18	20	22	25	28	31

CASSETTE VALANCE SURCHARGE:								
WIDTH	37	46	55	73	78	83	91	103
	134	147	160	198	198	198	198	198

COLORS:	No.:
WHITE	1
CREAM	2
LINEN	3
BEIGE	18
GREY	19
HUNTER GREEN	20
NAVY	21
BLACK	22

RAILROADED FABRIC:	
MIN WIDTH	14
MAX WIDTH:	103
MIN LENGTH:	12
MAX LENGTH:	58

SEAMED FABRIC:	
MIN WIDTH	14
MAX WIDTH:	103
MIN LENGTH:	12
MAX LENGTH:	120

HEM STYLES:	
PLAIN (No Surcharge)	
ROUNDED (Surcharge)	
WAVE (Surcharge)	
SCALLOP (Surcharge)	

OVERSIZED FREIGHT:	
> 96" WIDE NET SURCHARGE	\$65.00

REGULAR FABRIC:	
MIN WIDTH:	14
MAX WIDTH:	73
MIN LENGTH:	12
MAX LENGTH:	120

EWD Splendor Roller Shades Light Filtering

ROLLER TYPE: SPRING OR CHAIN

WIDTH ►	37	46	55	73	78	83	91	103
▼ LENGTH ▼								
36	162	192	210	258	354	408	438	480
48	180	216	234	288	384	438	480	522
60	198	234	258	318	420	474	516	564
72	216	258	282	348	450	510	552	606
84	294	354	384	462	486	546	594	648
96	318	372	408	492	516	582	630	690
108	354	414	456	546	570	636	690	756
120	366	432	474	564	594	660	720	786

WIDTHS > 73 MUST BE ORDERED AS CHAIN MECH ONLY

CASSETTE VALANCE SURCHARGE

WIDTH ►	37	46	55	73	78	83	91	103
	134	147	160	198	198	198	198	198

COLORS

FABRIC	BEADED CHAIN	CASSETTE VALANCE
White	White	White
Ivory	Vanilla	Vanilla
Linen	Vanilla	Vanilla
Coffee	Vanilla	Brown
Ash	Grey	Silver
Black	Black	Black

HEM STYLE

Plain ONLY

MATERIAL

94"W
Anything over 94"W x 84"L, shades will be horizontally seamed.

MIN / MAX SIZES

ROLLER TYPE: SPRING

	Min	Max
Width	15"W	72"W
Length	24"L	120"L

ROLLER TYPE: CHAIN

	Min	Max
Width	15"W	103"W
Length	24"L	120"L

MINIMUM DEPTH

Shade Style	Min Depth for Inside Mount	Min Depth for Flush Mount	Inside Mount Deduction	Light Gap (per side)
Roller Shades - no Cassette Valance	2 1/4"	3"	1/4"	9/16"
Roller Shades with Cassette Valance	2 1/4"	4 1/8"	1/4"	11/16"

CORD LOOP LENGTH

Shade Length	Cord Loop Drop Length (feet)	Cord Loop Drop Length (inches)
Up to 36"L	2'	24"
36 1/8"L - 54"L	3'	36"
54 1/8"L - 72"L	4'	48"
72 1/8"L - 90"L	5'	60"
90 1/8"L - 120"L	6'	72"

OVERSIZED FREIGHT

Greater than 96" Wide: Net Surcharge \$65.00

EWD Splendor Roller Shades Blackout

ROLLER TYPE: SPRING OR CHAIN

WIDTH ►	37	46	55	73	78	83	91	103
▼ LENGTH ▼								
36	204	246	270	336	480	504	546	600
48	234	282	312	390	534	558	612	672
60	258	318	354	438	588	618	672	744
72	288	354	390	486	642	672	738	810
84	378	456	504	594	696	732	804	882
96	408	492	546	648	750	792	864	948
108	456	552	606	726	834	876	960	1056
120	474	576	636	762	870	918	1008	1104

WIDTHS > 73 MUST BE ORDERED AS CHAIN MECH ONLY

CASSETTE VALANCE SURCHARGE

WIDTH ►	37	46	55	73	78	83	91	103
	134	147	160	198	198	198	198	198

COLORS

FABRIC	BEADED CHAIN	CASSETTE VALANCE
White	White	White
Ivory	Vanilla	Vanilla
Linen	Vanilla	Vanilla
Coffee	Vanilla	Brown
Ash	Grey	Silver
Black	Black	Black

HEM STYLE

Plain ONLY

MATERIAL

94"W
Anything over 94"W x 84"L, shades will be horizontally seamed.

MIN / MAX SIZES

ROLLER TYPE: SPRING

	Min	Max
Width	15"W	72"W
Length	24"L	120"L

ROLLER TYPE: CHAIN

	Min	Max
Width	15"W	103"W
Length	24"L	120"L

MINIMUM DEPTH

Shade Style	Min Depth for Inside Mount	Min Depth for Flush Mount	Inside Mount Deduction	Light Gap (per side)
Roller Shades - no Cassette	2 1/4"	3"	1/4"	9/16"
Roller Shades with	2 1/4"	4 1/8"	1/4"	11/16"

CORD LOOP LENGTH

Shade Length	Cord Loop Drop Length (feet)	Cord Loop Drop Length (inches)
Up to 36"L	2'	24"
36 1/8"L - 54"L	3'	36"
54 1/8"L - 72"L	4'	48"
72 1/8"L - 90"L	5'	60"
90 1/8"L - 120"L	6'	72"

OVERSIZED FREIGHT

Greater than 96" Wide: Net Surcharge \$65.00

Blue Book Roller Shades

EMBOSSSED VINYL ROLLER SHADE

Tailored Hem

Length	Width				
	25¼	37¼	46¼	55¼	73¼
66	98	108	139	158	204

Scalloped Hem with Fringe

Length	Width				
	25¼	37¼	46¼	55¼	73¼
66	103	115	146	168	216

PREMIUM VINYL ROLLER SHADE

Tailored Hem

Length	Width			
	37¼	46¼	55¼	73¼
66	122	149	173	223
84	134	230	238	250

Scalloped Hem with Fringe

Length	Width			
	37¼	46¼	55¼	73¼
66	130	156	180	233
84	139	238	245	259

SOLAR SCREEN ROLLER SHADE

Length	Width				
	25¼	37¼	46¼	55¼	73¼
66	125	156	199	228	288
84	139	175	223	259	324

SOLAR WEAVE ROLLER SHADE

Length	Width				
	25¼	37¼	46¼	55¼	73¼
66	121	157	194	225	293
84	139	182	227	261	342

FEATURES/BENEFITS

Premium Vinyl - light blocking fiberglass reinforced window shades.

- 4 Ply duplex construction - color on room side, neutral white on street side, special 'blackout' layer eliminates light penetration (100% light blockage).
- 12 Gauge material is fade and curl resistant.
- Fiber glass layer for long lasting strength & flame resistance - meets or exceeds federal flame resistance specification ccc - c 521 e.
- Heavy duty roller with spring loaded motor mechanism.
- Cordless construction is safe for children and pets.

Embossed Vinyl - 3 ply light blocking shade.

- PVC roller shade in a 3 ply duplex construction - color on room side, neutral white on street side, special 'blackout' layer eliminates light penetration.
- Deeply embossed vinyl has the look of woven fabric.
- 8 Gauge material is fade and curl resistant.

Solar - minimizes harmful ultraviolet light.

- UV blockage is 90% for solar weave style and 86% for solar screen style.
- Controls heat and light.
- Cordless construction is safe for children and pets.
- Reliable heavy duty spring motor mechanism makes roller shades easy to lift and lower.
- Trouble free performance lasts for years.

Made-to-Measure Basic Information

- Minimum width: 15" Maximum width: 73¼"
- Length - Choose either 66"L or 84"L (66" max for Saratoga).
- Factory takes 1/8" deduction for inside mount.
- Universal brackets for inside or outside mount installations.
- Flush inside mount: 2¼" depth required for Carmel, Saratoga, and Solar Screen Roller Shades. 2½" depth required for Solar Weave Roller Shades.
- Stack Height (approximate): 2¼" for Carmel, Saratoga, and Solar Screen Roller Shades. 2½" for Solar Weave Roller Shades.

Cleaning - Wipe clean with soapy water.

Blue Book 1" High Gloss Privacy Blind

		Width								
		24	30	36	42	48	54	60	66	72
Length	48	84	97	107	124	134	147	158	172	183
	72	103	122	137	160	174	193	208	227	244

FEATURES/BENEFITS

- Lift cords and cord holes disappear when blind is closed: Blocks light better than a standard blind. Total privacy and light control. Beautiful seamless appearance.
- Practical vinyl is flexible and strong – durable – lasts a long time with minimal care won't bend, dent or chip.
- Baked on Spectragloss™ finish will not fade – lasts for years.
- “All Position Tilter” operates smoothly at any angle.
- Clear plastic hold down brackets included.
- Head rail, bottom rail, end caps, lift cords & cord tassels are all color coordinated.
- Contoured head rail and hidden brackets – no need for a separate valance – looks great.

Made-to-Measure Basic Information

- Minimum width: 18" Maximum width: 72"
- Minimum length: 16" Maximum length: 72"
- Tilt wand always on the left / lift cord always on the right.
- Factory takes 3/8" deduction for inside mount (3/16" ea. side).
- Concealed metal brackets snap onto head rail.
- Flush inside mount: 113/16" depth required.
- Stack Height (approximate). Lengths up to:

30" - 3¼"	54" - 4¼"
36" - 3⅝"	60" - 4½"
42" - 3⅞"	66" - 4¾"
48" - 4"	72" - 5¼"

Cleaning - Feather duster, soft cloth or vacuum with soft brush attachment

Blue Book 2" Embossed Faux Wood Blinds

		Width													
		22	26	30	34	38	42	46	50	54	58	62	66	70	72
Length	36	83	93	102	108	117	123	128	138	143	147	153	158	168	178
	48	87	98	108	113	123	128	132	143	147	153	158	162	173	183
	60	98	108	117	128	138	147	162	173	183	188	203	212	223	233
	72	102	113	123	132	143	153	168	177	188	192	207	218	228	238

FEATURES/BENEFITS

- Modern materials [structural foam PVC] assure that this blind will not warp, split or crack.
- Unaffected by moisture - can be used in any room in the house.
- Environmentally sound - no depletion of vital forestland.
- Anti-static additive helps repel dust.
- Minimum width: 18" Maximum width: 72"
- Minimum length: 16" Maximum length: 72"
- Wand tilt only.
- Factory takes $\frac{3}{16}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side).
- Concealed metal brackets snap onto head rail.
- Flush inside mount: $2\frac{5}{2}$ " depth required.
- Stack Height (approximate). Lengths up to:

30" - 4"	54" - 6"
36" - 4½"	60" - 6½"
42" - 5"	66" - 7"
48" - 5½"	72" - 7¾"

Cleaning

Wash using warm or cold water and a mild detergent. Feather duster, soft cloth or vacuum with soft brush attachment.

Blue Book 1" Aluminum Privacy Blind

		Width							
Length		24	30	36	42	48	54	60	66
	48	92	105	126	139	151	164	179	191
	72	116	134	160	179	195	214	235	254
	84	128	149	176	197	218	239	265	286

FEATURES/BENEFITS

- Lift cords and cord holes disappear when blind is closed: blocks light better than a standard blind, total privacy and light control and beautiful seamless appearance.
- 7 gauge aluminum – strong and durable – lasts a long time with proper care.
- Baked on Enamel Finish never fades & repels dust.
- “All Position Tilter” operates smoothly at any angle.
- Valance include – covers the head rail and brackets.
- Clear plastic hold down brackets included.
- Head rail, bottom rail, end caps, lift cords & cord tassels are all color coordinated.

Made-to-Measure Basic Information

- Minimum width: 18" Maximum width: 72"
- Minimum length: 16" Maximum length: 84"
- Tilt wand always on the left / lift cord always on the right.
- Factory takes $\frac{3}{8}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side).
- Box brackets can be mounted to the top, side or rear.
- Flush Inside Mount – $1\frac{3}{8}$ " depth required.
- Stack Height (approximate). Lengths up to:

30" - $2\frac{1}{4}$ "	60" - $3\frac{1}{8}$ "
36" - $2\frac{1}{2}$ "	66" - $3\frac{1}{4}$ "
42" - $2\frac{3}{4}$ "	72" - $3\frac{1}{2}$ "
48" - $2\frac{7}{8}$ "	78" - $3\frac{5}{8}$ "
54" - 3"	84" - $3\frac{7}{8}$ "

Cleaning

Feather duster, soft cloth or vacuum with soft brush attachment (any aluminum slat will bend, so careful handling is a must)

Blue Book Cordless Light Filtering Cellular Shade

		Width								
Length		24	30	36	42	48	54	60	66	72
	48	163	190	218	245	283	312	338	370	398
	72	197	233	269	305	353	389	425	466	502

FEATURES/BENEFITS

- Unique honeycomb construction. Provides excellent insulation and sound absorption. Assures crisp, sharp pleats; even after extended use. Resists sagging and stretching.
- Light filtering fabric. Softly diffuses light, but provides substantial privacy.
- Polyester shade cloth has a lightly textured appearance / seamless, durable, won't fray at edges.
- Control handle on the bottom rail. Keeps fingers off of the fabric.
- Integrated bracket and head rail system for a seamless appearance and easy installation.

Made-to-Measure Basic Information

- Minimum width: 21" Maximum width: 72"
- Minimum length: 24" Maximum length: 72"
- Factory takes $\frac{3}{8}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side)
- Concealed brackets snap-on to head rail.
- Flush inside mount: $2\frac{1}{16}$ " depth required.
- Stack Height (approximate). Lengths up to:

30" - $2\frac{1}{4}$ "	54" - $2\frac{13}{16}$ "
36" - $2\frac{3}{8}$ "	60" - $2\frac{15}{16}$ "
42" - $2\frac{1}{2}$ "	66" - $3\frac{1}{8}$ "
48" - $2\frac{11}{16}$ "	72" - $3\frac{1}{8}$ "

Cleaning - Pleats can be dusted or vacuumed with soft brush attachment.

Blue Book Cordless TD/BU LF Cellular Shade

		Width								
Length		24	30	36	42	48	54	60	66	72
	48	220	256	294	330	382	421	456	499	537
	72	266	314	363	409	476	525	573	629	677
	84	292	345	399	419	517	577	630	691	744

FEATURES/BENEFITS

- Unique honeycomb construction. Provides excellent insulation and sound absorption. Assures crisp, sharp pleats; even after extended use. Resists sagging and stretching.
- Light filtering fabric. Softly diffuses light, but provides substantial privacy.
- Polyester shade cloth has a lightly textured appearance / seamless, durable, won't fray at edges.
- Control handle on the bottom rail. Keeps fingers off of the fabric.
- Integrated bracket and head rail system for a seamless appearance and easy installation.

Made-to-Measure Basic Information

- Minimum width: 21" Maximum width: 72"
- Minimum length: 24" Maximum length: 72"
- Factory takes $\frac{3}{8}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side)
- Concealed brackets snap-on to head rail.
- Flush inside mount: $2\frac{1}{16}$ " depth required.
- Stack Height (approximate). Lengths up to:

30" - $2\frac{1}{4}$ "	54" - $2\frac{13}{16}$ "
36" - $2\frac{3}{8}$ "	60" - $2\frac{15}{16}$ "
42" - $2\frac{1}{2}$ "	66" - $3\frac{1}{8}$ "
48" - $2\frac{11}{16}$ "	72" - $3\frac{1}{8}$ "

Cleaning - Pleats can be dusted or vacuumed with soft brush attachment.



Phone: 877.657.1888

Fax: 800.861.3026

Blue Book Mirage Cellular Shades

Light Filtering

		WIDTH ►														
		24	30	36	42	48	54	60	66	72	84	96	108	120	132	144¼
LENGTH ▼	36	235	265	290	310	350	375	400	425	455	565	635	690	745	820	890
	42	245	275	300	320	360	385	410	435	465	610	670	745	805	870	925
	48	255	285	315	340	385	405	445	465	500	645	730	795	860	925	1,000
	54	270	300	330	360	405	430	470	495	525	690	775	850	920	990	1,045
	60	275	320	350	380	420	455	495	520	565	740	820	900	980	1,035	1,130
	66	290	325	355	400	440	475	515	550	590	775	865	950	1,025	1,100	1,180
	72	300	335	375	415	460	500	540	575	615	810	920	1,000	1,080	1,150	1,230
	78	310	350	390	430	485	525	565	605	650	855	960	1,050	1,130	1,210	1,300
	84	320	370	420	450	505	555	605	650	695	900	1,010	1,110	1,210	1,295	1,390

Blackout

		WIDTH ►														
		24	30	36	42	48	54	60	66	72	84	96	108	120	132	144¼
LENGTH ▼	36	305	355	395	425	470	500	540	575	615	755	835	910	990	1,100	1,175
	42	330	365	405	435	480	510	550	585	625	820	905	1,000	1,075	1,170	1,245
	48	350	380	420	465	515	540	595	625	680	875	970	1,065	1,150	1,250	1,360
	54	360	405	445	490	545	580	630	670	715	925	1,035	1,130	1,245	1,335	1,430
	60	375	420	465	520	565	610	665	710	765	1,005	1,105	1,205	1,320	1,415	1,525
	66	390	430	475	540	595	640	695	745	795	1,040	1,165	1,280	1,390	1,490	1,585
	72	400	445	500	555	620	665	725	780	835	1,080	1,220	1,325	1,450	1,555	1,670
	78	410	460	520	580	645	700	760	820	875	1,150	1,285	1,395	1,520	1,635	1,750
	84	420	490	550	600	700	735	800	855	930	1,200	1,360	1,465	1,600	1,710	1,860

SINGLE SHADES:	
MIN WIDTH:	19
MAX WIDTH:	72
MIN LENGTH:	24
MAX LENGTH:	84

2 CONNECTED SHADES:	
MIN WIDTH:	38¼
MAX WIDTH:	144¼
MIN LENGTH:	24
MAX LENGTH:	84

RIGHT SHADE WIDTH:	
MIN WIDTH:	19
MAX WIDTH:	72

GAP WIDTH:	
MIN WIDTH:	¼
MAX WIDTH:	¼

Colors	No.
AMBER	92
DOVE GREY	34
ESPRESSO	114
IVORY	5
PARCHMENT	113
SIENNA	115
STORM	116
TUSSAH	111
VANILLA	112
WHITE	18

LEFT SHADE WIDTH:	
MIN WIDTH:	19
MAX WIDTH:	72

Blue Book Kinsale Roman Shade

		Width												
		24	30	36	42	48	54	60	66	72	78	84	90	96
Length	36	239	248	256	263	284	362	365	382	392	407	416	423	437
	42	259	275	279	290	306	398	412	428	432	443	454	463	473
	48	263	279	290	295	310	407	416	432	443	454	463	473	484
	54	290	301	310	320	335	448	457	473	479	488	500	508	524
	60	295	306	320	326	340	454	463	479	488	500	508	518	538
	66	315	331	335	347	362	484	493	508	524	538	551	565	576
	72	326	335	347	356	371	493	504	518	529	544	554	569	585
	78	347	356	365	378	392	544	554	569	580	590	607	616	630
	84	351	365	378	385	407	551	560	576	590	601	616	626	641
	90	371	385	398	412	428	590	601	616	630	641	652	671	688
	96	378	392	407	416	432	594	607	621	637	644	661	677	691

FEATURES/BENEFITS

- An everyday roman shade style at an opening price point.
- Energy efficient! Provides insulation from heat and cold.
- A tailored, pleated style with stay pleats on the face of the shade.
- 100% Cotton canvas – thermal backed with white acrylic foam / No additional lining needed.
- Room darkening, providing substantial privacy – not 100% blackout.
- Easy installation.
- No valance included.

Made-to-Measure Basic Information

- Minimum width: 12" Maximum width: 72"
- Minimum length: 12" Maximum length: 72"
- Choose right or left cord control.
- Factory takes 3/8" deduction for inside mount (3/16" ea. side).
- 1"W x 1"L L-brackets included.
- No other bracket types offered.
- Flush inside mount - 1 1/4" depth required.
- Stack Height (approximate). Lengths up to:

22 1/8" - 6 1/4" to 7 1/8"	60" - 11 1/8" to 14 7/16"
33 1/8" - 9" to 14 7/16"	73 1/2" - 11 3/4" to 14 7/16"
46 1/8" - 10" to 14 7/16"	96" - 10 5/8" to 14 7/16"

Cleaning

Vacuum lightly with the soft brush or upholstery attachment

Blue Book 2" Hardwood Blind

Length	Width						
	24	30	36	42	48	54	60
48	147	177	203	233	261	290	320
72	175	210	254	290	328	366	403

FEATURES/BENEFITS

- Hand selected kiln dried slats [real hardwood] resist warping.
- Steel head rail is long lasting and will not sag.
- Painted or stained finish resists fading.
- Wood valance included. Covers the metal head rail.

[Note: no valance returns with this program]

Made-to-Measure Basic Information

- Minimum width: 18" Maximum width: 60"
- Minimum length: 16" Maximum length: 72"
- Tilt cord always on the left / Lift cord always on the right.
- Factory takes $\frac{3}{8}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side).
- Box style brackets can be mounted to the top, side or rear.
- Flush inside mount: $2\frac{5}{8}$ " depth required.
- Stack Height (approximate). Lengths up to:

30" - $4\frac{9}{16}$ "	54" - 6"
36" - $4\frac{15}{16}$ "	60" - $6\frac{5}{16}$ "
42" - $5\frac{1}{4}$ "	66" - $6\frac{11}{16}$ "
48" - $5\frac{5}{8}$ "	72" - $7\frac{1}{16}$ "

Cleaning

Dust, vacuum with soft brush attachment, lemon oil or furniture polish.

Wood is a natural material. There will be variation in color and grain from slat to slat or within a slat. Small knots, sugar deposits and such occur naturally and actually enhance the beauty and value of real wood.

Blue Book Natural Woven Shade

		Width								
		24	30	36	42	48	54	60	66	72
Length	48	151	170	189	208	227	248	277	296	315
	72	153	174	193	214	233	254	286	307	326

FEATURES/BENEFITS

- All natural material. Fashionable and environmentally sound.
- Woven on hand fed looms for consistent quality.
- Roman style shade with pulley control system for years of smooth trouble free operation.
- Integrated valance included at no additional cost.
- Gently filters light, but provides substantial privacy.

Made-to-Measure Basic Information

- Minimum width: 18" Maximum width: 72"
- Minimum length: 16" Maximum length: 72"
- Lift cord always on the right.
- Factory takes $\frac{3}{8}$ " deduction for inside mount ($\frac{3}{16}$ " ea. side).
- Post style brackets can be mounted to the top, side or rear.
- Flush inside mount: $\frac{2}{4}$ " depth required
- Stack Height (approximate). Lengths up to:

30" - 9½"	54" - 9½"
36" - 9½"	60" - 9½"
42" - 9½"	66" - 9½"
48" - 9½"	72" - 9½"

Cleaning - dust or vacuum with soft brush attachment.

Blue Book Vertical Blind

		Width					
		42	54	66	78	90	104
Length	45	164	195	229	263	326	389
	54	174	204	239	275	336	399
	63	181	214	248	288	347	410
	84			275	317	357	420

FEATURES/BENEFITS

- Two-sided emboss assures that both sides of every vane look great in any position.
- The look of a fine woven fabric with all of the practicality of care free vinyl.
- Excellent closure – vanes rotate 180 degrees for light control - adjust with simple wand control.
- Room darkening for privacy.
- Practical PVC is flexible; won't bend, dent, crease or chip. Easy to clean.
- Reliable steel head rail with decorative valance for a seamless appearance.

Made-to-Measure Basic Information

- Fixed widths - choose from: 42"W, 54"W, 66"W, 78"W, 90"W, 104"W
- Minimum length: 36" Maximum length: 84"
- Tilt wand draws right or left per customer choice – head rail is reversible
- Outside mount only
- L-brackets with adjustable clips included. Clips snap easily onto the head rail
- Vane Stack (approximate). Fixed widths:

42" - 9"

54" - 11"

66" - 12"

78" - 14"

90" - 15"

104" - 17"